



| | |
|--------------------------------------|----------|
| Overall length | 7.630 mm |
| Technically permissible gross weight | 1.700 kg |
| Total width | 2.300 mm |
| Bed spaces for adults | 4 |
| Bed spaces for children | 0 |

Technical data

| | 495 UL |
|--|------------------------------|
| Number of axles | 1 |
| Overall length | 7.630 mm |
| Body length | 6.434 mm |
| Total width / internal width | 2.300 / 2.172 mm |
| Overall height / Interior headroom | 2.626 / 1.950 mm |
| Maximum technically permissible laden mass | 1.700 kg |
| Mass in running order | 1.400 kg |
| Payload | 300 kg |
| Technically possible load uprating to | 1.750 kg |
| Payload after maximum load uprating | 350 kg |
| Technically possible load downrating to | 1.600 kg |
| Awning perimeter dimensions | 9.490 mm |
| Number of berths (adult / child) | 4 |
| Lying-down area, front (length x width) | 1.980 x 830 / 1.820 x 830 mm |
| Reclining surface, rear (length x width) | 1.952 x 1.566 / 1.174 mm |
| Mattress, front (length x width) | 1.970 x 820 / 1.810 x 820 mm |
| Rollable waste water tank | 24 Liter |
| Optional external gas socket location | Heck rechts |
| TRUMA heating system with warm air unit and 12 V fan | S-5004 |
| Heating unit TRUMA for hot water supply | |
| THETFORD service hatch with central locking | Bug rechts |
| Optional locker doors THETFORD | Bug links |

HobbyKomplett

Chassis/Sicherheit

WINTERHOFF WS 3000 stabiliser hitch

KNOTT ANS overrun brake with automatic adjustment

Jockey wheel

Drawbar cover

One-key locking system

Integrated 3rd brake light

Fog light

Wheel shock absorbers

Tyre repair set

Heavy-duty supports

Load indicator on jockey wheel

Licensed for up to 100kph

Auf-/Ablastung

Chassis 1.700 kg

Aufbau

Vent window, double-glazed and tinted

DOMETIC SEITZ rooflight Mini-Heki 400 x 400mm with pleated blackout blind and insect screen in sleeping area

DOMETIC SEITZ rooflight Midi-Heki 700 x 500mm with pleated blackout blind and insect screen in living area

Rooflight, 400 x 400 mm, with insect screen in washroom

One-piece entrance door, extra wide, with triple-point locking, window, waste bin, compartments and pleated insect screen in door frame

Grab handle

Entrance step

Integrated awning rail

Awning rail rain deflector, front / rear

Wheel arches, thermally insulated

Wheel arch guard with integrated channel rail for draught skirt

LED awning light

Gas locker

Boot in rear

Möbeldekor

Bronze, Stone Grey, Magnolia Metallic

Polsterkombinationen

Kentucky (choise)

Vermont (choise)

Wohnraum

Single-post lift table

LED ambient lighting

LED corner lights

LED wardrobe lighting

LED reading lights in seating area

Storage compartment under seating area

Combi-cassettes with pleated blackout blind and insect screen for all side windows (except bathroom)

Wardrobe

Wall units with plenty of storage space and soft-close doors

Winter vents for seating area, lockers and beds

Küche

DOMETIC Super Slim Tower refrigerator, 150 litres, incl. removable 15-litre freezer compartment

Stainless steel hob/sink combination with 3-burner hob, electric ignition and split glass cover

Electric water supply

Spice racks in kitchen wall unit

Kitchen splashback with fully integrated pleated blackout blind and insect screen, 230 volt power sockets, storage shelves and USB charging socket

Cutlery insert

Hand towel rail

Kitchen organiser rack

Schlafen

Sprung mattresses on single, double and queen-size beds

Bed lift for slatted frame, mechanical

Gooseneck LED lamps in sleeping area

Bad

THETFORD cassette toilet

Wasser/Gas/Elektrik

Submersible pump

Gas regulator with over-pressure protection (DIN EN 12 864) and pipe connection

Central gas distribution in kitchen unit

TFT control panel for lighting system and tank, incl. CI-BUS

Electronically controlled 12 volt / 350 VA power supply

External socket in awning, incl. 230 volt output, satellite & TV connection

Antenna socket with co-axial cable in living area

Jaeger 13-pole passenger vehicle connector

50 L fresh water tank

Sonderausstattung

Heizung/Klima

TRUMA S-5004 heating system with warm air unit and 12 V fan

Chassis/Sicherheit

Black polished alloy spare wheel with AL-KO holder instead of tyre repair set

Heavy-duty supports instead of lightweight supports

KNOTT ETS Plus stabilisation system, up to type 660

WINTERHOFF ?ROBSTOP? hitch lock anti-theft device

Auf-/Ablastung

Reduced load capacity to 1.600 kg, without technical change

Increased load capacity to 1.750 kg, without technical change

Aufbau

THULE OMNISTOR 6200 roof awning, width 350 cm, deep 250

THULE drawbar bicycle rack, for 2 bicycles (60 kg loading capacity)

Optional THETFORD locker door

Wohnraum

LED ambient lighting

Single-post lift table

Carpet, removable

Polsterkombinationen

Tesca

Arizona

Avus

Torino

Bali

Villa

Capri

Split

Real leather cream, including 2 headrests (excluding 560 Cfe Premium)

Küche

THETFORD oven with electric ignition and interior light (36 litres)

DOMETIC extractor hood including Hobby 10-stage speed control

Microwave DOMETIC (Volume 20 l)

Schlafen

7-zone cold foam mattresses with slatted bed bases for single beds

Bed extension incl. additional cushion

Bedspread

Wasser/Gas/Elektrik

7/13-pole adapter for passenger vehicle connecting cable

City water connection

External gas socket

TRUMA 14 L electric boiler, only in conjunction with 50 L water tank, service flap can be omitted

12V-Self-sufficient package including charge controller, battery, battery sensor, interface for solar energy system and battery box, only in conjunction with TFT control panel (CI-BUS)

Charge controller for 12 V power supply including interface for solar energy system, battery sensor and battery box, only in conjunction with TFT control panel (CI-BUS)

TFT control panel for lighting system and tank, incl. CI-BUS

HOBBY-CONNECT, remote control for on-board technology using app (only in conjunction with TFT control panel)

Wireless remote control for the lighting system

smoke detector

Dual USB charger socket

Heizung/Klima

TRUMA Ultraheat auxiliary electric heater including CI-BUS, only in conjunction with TFT control panel

Underfloor heating up to type 540

TRUMA ISOTHERM heating system up to type 540

ALDE hot-water heating system Compact 3020 inc CI-BUS, only in conjunction with TFT control panel, (no service flap)

DOMETIC FreshJet roof-mounted air conditioning unit including CI-BUS, with heating, without lighting, only in conjunction with TFT control panel

Preparation for roof-mounted air conditioning unit

Multimedia

Articulated TV bracket including required connections and video cables (Cinch)

SAT system KATHREIN CAP 650 inc TWIN-LNB (only with TFT-Panel)

TELECO TV aerial mast

BLAUPUNKT sound system including DVD / MP3 tuner with remote control, four loudspeakers and subwoofer

Länderspezifikationen

TÜV fee and vehicle registration certificate part II / Homologation / EU type approval
