



Overall length	7.271 mm
Technically permissible gross weight	1.500 kg
Total width	2.300 mm
Bed spaces for adults	4
Bed spaces for children	0



?Super Slim Tower? refrigerator

### Technical data

	540 WLU
Number of axles	1
Tyre size	185 R 14 C
Overall length	7.271 mm
Body length	6.080 mm
Total width / internal width	2.300 / 2.172 mm
Overall height / Interior headroom	2.625 / 1.950 mm
Maximum technically permissible laden mass	1.500 kg
Mass in running order	1.334 kg
Payload	166 kg
Technically possible load uprating to	1.750 kg
Payload after maximum load uprating	387 kg
Body wall thickness (floor / roof / wall)	39 / 31 / 31 mm
Awning perimeter dimensions	9.950 mm
Number of berths ( adult / child)	4
Lying-down area, front (length x width)	1.950 x 1.257 / 1.251 mm
Reclining surface, rear (length x width)	1.830 x 800; 1.960 x 800 mm
Mattress, rear ( length x width)	1.820 x 790; 1.950 x 790 mm
Rollable waste water tank	24 l
Fresh water tank with water level sensor	50 l
Fresh water tank location	Centre left
Optional external gas socket location	Front right
External socket location	Centre right

Truma heating system	S-3004
THETFORD service hatch with central locking	Rear right
Optional locker doors THETFORD	Front right

## HobbyKomplett

### Chassis/Safety

WINTERHOFF WS 3000 stabiliser hitch
KNOTT ANS overrun brake with automatic adjustment
Jockey wheel
Drawbar cover
One-key locking system
15" steel rims with wheel covers
Integrated 3rd brake light
Fog light
Wheel shock absorbers
Tyre repair set
Heavy-duty supports
Load indicator on jockey wheel
Licensed for up to 100kph

### Load up-/downrating

Chassis 1.500 kg
------------------

### Body

Vent window, double-glazed and tinted
Panoramic front window
DOMETIC SEITZ rooflight Mini-Heki 400 x 400mm with pleated blackout blind and insect screen in sleeping area
DOMETIC SEITZ rooflight Midi-Heki 700 x 500mm with pleated blackout blind and insect screen in living area
Rooflight, 280 x 280 mm, with insect screen in washroom
One-piece entrance door, extra wide, with triple-point locking, window, waste bin, compartments and pleated insect screen in door frame
Grab handle
Entrance step
Integrated awning rail
Awning rail rain deflector, front / rear
Wheel arches, thermally insulated
Wheel arch guard with integrated channel rail for draught skirt
LED awning light
Gas locker
THETFORD service hatch with central locking

### Furniture finish

Magnolia/Ashai Ash
--------------------

### Upholstery combinations

Torino
--------

### Living area

Metal lift table
------------------

LED ambient lighting

LED wardrobe lighting

Gooseneck LED lamps in seating area

LED reading lights in seating area

Storage compartment under seating area

Combi-cassettes with pleated blackout blind and insect screen for all side windows (except bathroom)

Wardrobe

Wall units with plenty of storage space and soft-close doors

Winter vents for seating area, lockers and beds

### **Kitchen**

DOMETIC Super Slim Tower refrigerator, 150 litres, incl. removable 15-litre freezer compartment

Stainless steel hob/sink combination with 3-burner hob, electric ignition and split glass cover

Electric water supply

Spice racks in kitchen wall unit

Conveniently sized, fully extending drawers with soft-close and push lock mechanisms

Kitchen splashback with fully integrated pleated blackout blind and insect screen, 230 volt power sockets, storage shelves and USB charging socket

Cutlery insert

Hand towel rail

### **Sleeping area**

Sprung mattresses on single, double and queen-size beds

Bed lift for slatted frame, mechanical

Gooseneck LED lamps in sleeping area

### **Bathroom**

Separate shower

THETFORD rotating toilet

LED lighting in washroom

Vent window with frosted glass effect

### **Water / gas / electricity**

Submersible pump

Gas regulator with over-pressure protection (DIN EN 12 864) and pipe connection

Central gas distribution in kitchen unit

Control panel for lighting system and tank display

Separate light switch for children

Electronically controlled 12 volt / 350 VA power supply

Ground fault circuit breaker

External socket in awning, incl. 230 volt output, satellite & TV connection

Antenna socket with co-axial cable in living area

Jaeger 13-pole passenger vehicle connector

50 L fresh water tank

### **Heating / Air conditioning**

TRUMA S-3004 heating hot-air supply and 12-Volt fan

### **Chassis/Safety**

Alloy rims, black polished

Silver alloy rims

Spare wheel with AL-KO holder instead of tyre repair set (underfloor mounting)

KNOTT ETS Plus stabilisation system, up to type 660

WINTERHOFF ?ROBSTOP? hitch lock anti-theft device

### **Load up-/downrating**

Increased load capacity to 1.550 kg, without technical change

Increased load capacity to 1.600 kg, single axle units to type 560

Increased load capacity to 1.500 kg, single axle units to type 560

### **Body**

THULE OMNISTOR roof awning, width 400 cm

THULE drawbar bicycle rack, for 2 bicycles (60 kg loading capacity)

back bicycle rack THULE for 2 bicycles (max. payload 40 kg)

Optional THETFORD locker door

### **Upholstery combinations**

Taiga

Patch

Avus

Jawa

Kentucky

Vermont

Villa

Capri

### **Living area**

Single-post lift table

Carpet, removable

### **Kitchen**

THETFORD oven with electric ignition and interior light (36 litres)

DOMETIC extractor hood including Hobby 10-stage speed control

Microwave DOMETIC (Volume 20 l)

### **Sleeping area**

7-zone cold foam mattresses with slatted bed bases for single beds

Bedspread

### **Bathroom**

Insect screen for bathroom window

### **Water / gas / electricity**

7/13-pole adapter for passenger vehicle connecting cable

City water connection

External gas socket

TRUMA 14 L electric boiler, only in conjunction with 50 L water tank, service flap can be omitted

12V-Self-sufficient package including charge controller, battery, battery sensor, interface for solar energy system and battery box, only in conjunction with TFT control panel (CI-BUS)

Charge controller for 12 V power supply including interface for solar energy system, battery sensor and battery box, only in conjunction with TFT control panel (CI-BUS)

TFT control panel for lighting system and tank, incl. CI-BUS

HOBBY-CONNECT, remote control for on-board technology using app (only in conjunction with TFT control panel)

Wireless remote control for the lighting system

smoke detector

Dual USB charger socket

### **Heating / Air conditioning**

TRUMA Ultraheat auxiliary electric heater including CI-BUS, only in conjunction with TFT control panel

Underfloor heating up to type 540

TRUMA Combi 6 heating system, including 10-litre boiler

Heating TRUMA Combi 6 E, instead of S-heating (only in conjunction with TFT control panel)

TRUMA ISOTHERM heating system up to type 540

ALDE hot-water heating system Compact 3020 inc CI-BUS, only in conjunction with TFT control panel, (no service flap)

DOMETIC FreshJet roof-mounted air conditioning unit including CI-BUS, with heating, without lighting, only in conjunction with TFT control panel

Preparation for roof-mounted air conditioning unit

### **Multimedia**

Articulated TV bracket including required connections, without video cables (Cinch)

SAT system KATHREIN CAP 650 inc TWIN-LNB (only with TFT-Panel)

TELECO TV aerial mast

BLAUPUNKT soundsystem with DAB+

### **Countries specifications**

TÜV fee and vehicle registration certificate part II / Homologation / EU type approval